

## WHAT IS CLAIMED IS:

1. A body fluid absorbent wearing article comprising:  
a liquid-pervious topsheet;  
5 a liquid-impervious backsheet;  
a liquid-absorbent panel disposed between said topsheet  
and said backsheet;  
said panel being composed of by a first fibrous assembly  
sub-panel lying on a side of said topsheet and having a  
10 compressive restoring elasticity and a substantially flat  
second fibrous assembly sub-panel underlying said first fibrous  
assembly sub-panel;  
said first fibrous assembly sub-panel having a  
substantially flat portion spaced upward from said second  
15 fibrous assembly sub-panel by a given dimension and a plurality  
of protuberant portions embossed on said flat portion toward  
said second fibrous assembly panel so as to bear against said  
second fibrous assembly sub-panel; and  
said first fibrous assembly sub-panel having a fiber  
20 density progressively increasing as it gets nearer to said  
second fibrous assembly sub-panel and said second fibrous  
assembly sub-panel having a fiber assembly higher than that of  
said first fibrous assembly sub-panel.

- 20 -

2. The body fluid absorbent wearing article according to  
Claim 1, wherein said first fibrous assembly sub-panel has a  
plurality of protuberant portions each extending from said flat  
portion toward said second fibrous assembly sub-panel but  
5 spaced upward from said second fibrous assembly sub-panel by  
a given dimension and serving to connect each pair of the  
adjacent protuberant portions with each other.

3. The body fluid absorbent wearing article according to  
10 Claim 2, wherein said first fibrous assembly sub-panel has a  
fiber density of 0.03 - 0.10 g/cm<sup>3</sup> in said flat portion and a  
fiber density of 0.05 - 0.15 g/cm<sup>3</sup> in said protuberant portions  
as well as in said wall portions, and said second fibrous  
assembly sub-panel has a fiber density of 0.10 - 0.50 g/cm<sup>3</sup>.

15

4. The body fluid absorbent wearing article according to  
Claim 1, wherein said first fibrous assembly sub-panel  
comprises hydrophilic thermoplastic synthetic resin fiber by  
70 - 100 wt% and cellulose fiber by 0 - 30 wt% while said second  
20 fibrous assembly sub-panel comprises said synthetic resin fiber  
by 0 - 50 wt% and said cellulose fiber by 50 - 100 wt%.

5. The body fluid absorbent wearing article according to

- 21 -

Claim 1, wherein said second fibrous assembly sub-panel contains at least one of fibrous or granular super-absorptive polymer by 0 - 50 wt%.